Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.73 =1949=



GREENHOUSES:

527 East Martin Street, Roxborough Philadelphia 28, Pa.

Wm. Shaw, Manager

OFFICE:

1001 Darby Road, Havertown, Pa.
Herbert Schearer, Proprietor

GENERAL PRICE LIST (E)

TO OUR CUSTOMERS

We are pleased to submit this current list of available orchid plants for delivery from April 15th to October 15th, according to type, country of origin and other factors entering into the importing of plant material. All plants listed are subject to prior sale. All the plants listed are in stock.

TERMS AND CONDITIONS

All orders for plants for future delivery from May 1st to October 15th: 50% of the full amount when order is placed and the balance C.O.D. f.o.b. greenhouses; fully insured.

All orders for immediate delivery from April 15th to October 15th for stock plants or imported plants: Cash in full with the order; f.o.b. greenhouses; fully insured.

There will be a packing charge of \$1.00 for all orders of \$10.00 or less and a 5% charge on all orders over \$10.00

Not responsible for delays in delivery due to strikes, riots, embargo and other factors beyond our control.

In placing orders, be sure to mention that plants are to be shipped in or out of pots.

All prices subject to change without notice.

OUR GUARANTEE

We guarantee all plants to be true to name, as labelled by growers or exports, to be healthy, clean plants as described in our list, or such plants may be returned and all moneys refunded.

ORCHID EXCHANGE

Wm. Shaw, Manager

Orchids can be grown in the home, just as never be set other house plants are grown simply by followment of Atouthe roots. ing the instructions given below.

For cultural directions, orchids are divided into two groups: Terrestrial orchids, which grow in earth and are not treated in these directions, and the epiphytic orchids, which take their food from the moisture in the air. The most common is the specie Cattleya. When two of the species are crossed in breeding, it is known as a Cattleya Hybrid. Other species are Laelia-Brassia. When these are crossed, they are designated by the symbols C. Cattleya, L. C. Laelia-Cattleyas, B. C. Brasso-Cattleyas. These crossed plants are then given definite names and designate B. C. Lotos x L. C. H. T. Pitt equals B. L. C. Helmsdale C. indicates Cattleya, even though it is a cross of the species, as the marriage of C. Labiata and Harrisonia, Skinnuri or any other.

Orchids should be kept where provisions can be made to supply the humidity required by the plants. Where a sun porch can be heated, pans may be placed below the trays or racks on which the plants are to be kept. This permits the watering and syringing of the plants and catches the drip, and hold the surplus, thereby humidifying the air. Some build cases—enclosing the plants in them, similar to a Wardian case. The plants should be kept in a position where they get lots of subdued light. Sometimes the direct rays of the sun will strike the plants. Then shading is necessary, either with shades or fine material used as a curtain.

The plants should never be placed on, or directly over a radiator or hot air register, but in a place where the night temperature does not fall below 55 degrees and where the day temperature rises to 80 degrees. They should be given air, making sure they are never in a direct draft.

While Orchids need a great amount of moisture, they do not require much watering. While the plants are in active growth, they should be given a good soaking once a week and syringed or sprinkled once a day. Never on cloudy days unless exceptionally dry and always on the rise of temperature, which usually means morning so the foliage dries before night. Plants should

never be set in water or saucers. Air must get

from the orchid hobby. There are many thousand amateurs growing orchids in their homes and small greenhouses, with unusual success.

It is about eight weeks from the time the flower bud can be seen in the sheath to full bloom. Orchid buds open very slowly and the flowers should not be cut until it is completely open and then it is best to wait a day or two for the color to set. This will make the flowers last well after cutting.

Most orchids are grown in the dead roots of fern, known as Osmundine. This is the material the plants should be in when received by you. When re-potting, a careful study of the way the orchid was potted before should be made.

The plant when received should not need repotting for at least a year. In this time, the amateur should have become familiar with the potting technique. Epiphytic orchids should never be grown in soil. If the roots are growing over the side of the pot, that is all right. It's the plants natural habit to put its roots where they thrive best.

In the summer when night temperatures remain above 55 degrees, the plant may be kept outside on a porch rack or hung on trees. The plants will not be harmed by sunlight if the rays are broken as by the spotting of the leaves or the spacings between lath shadings. At this time the plants will need more water than in the winter, especially when exposed on breezy days, which dry them out. Be sure the plants have enough water, but do not over-water. If there is any question, stay on the dry side. Orchids will stand more punishment than most house plants, but only return flowers when grown properly.

A well grown plant should have plump bulbs, blue-green foliage, with the new shoot a peagreen and the tips of the roots should show a watery green growth.

Man, scale and slugs (snails) are about all the pests the plant has to contend with. The slugs can be controlled by poison bait; the scale by spraying with Arbortox, and man with a good book on orchid culture.

Send name and address for free listings of Orchid Plants.

BOTANICAL ORCHID PLANTS

FROM SOUTH AND CENTRAL AMERICA, EAST INDIES, AFRICA AND THE SOUTH SEAS

All plants are established, of blooming size and ready for immediate shipment.

	Established Potted
Angraceum Sesqui	10.00
Aspasia, Varied	7.50
Brassavola Digbyana	7.50
" Nodosa	5.00
" Perinni	7.50
Brassia Caudata	7.50
Calanthe Blumei	5.00
Rosea	5.00
" Veitchi	5.00
" Vestita	5.00
Catasetum Virdiflavum	7.50
" Macrocarpus	6.00
Cattleya Amathystoglossa	5.00
" Aclandia	5.00
" Bowringiana	5.00 and 8.00
" Chocoensis	5.00
Dowiana	5.00
Gaskelliana	
" Harrisonia	
" Luteola	F 00
Maxima	8.00 and 12.00
" Mendelli	5.00
" Massiae	5.00 and 10.00
" Percivauina	4.00 and 8.00
	6.00
" Schilleriana	5.00 and 8.00
Skinneri	6.00
" Speiosissima	4.00 and 6.00
" Trianae	5.00 and 10.00
" Velutina	
Violacea	
" Walkeriana	5.00 and 8.00
Belgian Hybrids (Unflowered)	The act 13 days take to
" C. Prince John and Lady Veitch	20.00
" C. Dupreana and Brassovola Digbyana	
" C. " Fabla and "	
Belgian Hybrids (Flowering Size)	
" L. C. Schroderae and C. Trianae	20.00
" L. C. Schroderae and C. Trianae	2.00
" (L. C. Asbury and L. C. Sargon)	abalian il s
Trianae	20.00
" L. C. Pio Rico	
" L. C. Abilene	
" L. C. Ethel Rapiella	
" Santa Claus and C. Falco	
Chisis, Bractescens	
Coelogyne Christata	7.00

	(Beigian Hybrids)	
	Moira and Windermere	20.00
**************************************	Moira and Victor Alba	25.00
66	Grandiflora	5.00
66	Giganteum	7.00
Cypripedium	i Argus	5.00
	Barbatum 5.00 and	8.00
46	Colloseum 4.00 and	6.00
Maria 188	Fairrianum 5.00 and	10.00
	Hirsuttisimum 5.00 and	
66	Insigna Sanderia 5.00 and	
	Alma, Gaevert and Lawrencenum 10.00 and	
14 4	n Andersonii	5.00
	Aureum 5.00 and	10.00
**	Chrysanthum	5.00
46	Dearei	4.00
66	Formosum 5.00 and	
00.4	Frimbriatum 5.00 and	10.00
	Heterocarpum	5.00
46	Lyonii	5.00
Principal Control	Moschatum	6.00
	Nobelie	5.00
68	" Pendulum	5.00
Contractor and Contractor	Parishii	5.00
	Sanderae	5.00
TO CO CALLON	Speciosum	5.00
27. 2 . 44	Superba	5.00
**	Taurinum	10.00
	Transpariensie	5.00
Dinowana Bi	The state of the s	
	cornutum	7.00
	Auranticum 5.00 and	
"	Cinnabarinum	
la u "	Cochleatum	
"	Endress	5.00
	Falcatum	5.00
"	Nemorale 5.00 and	
"	Stamfordianum 5.00 and	10.00
Encylclia Le	ongifolia	6.00
Galendra D	Devonian	5.00
	See See See	*
		5.00
Laelia Acur	ninata	5.00
Albio	da	10.00
Ance	eps 5.00 and	
	iminalis	5.00
" Down	abarnia raufak	***
" Flor	nanniana	5.00
Flav	a. 11 Park - I. 10 Ch. Vista in C. serriston i incompressor	6.00
Loba	tata	4.00
4 2		5.00
	nnii	15.00
is Tony	ourata nebrossa	-
Teni	this	5.00
Aan	thia	5.00
Locknardia	Pallida 5.00 and	1 15.00
Lycaste Cr	uenta	20.00
	pei	7.00
	nnerii	5.00

Miltonia Candida	
" Clowesii	5.00
" Regnelli	7.00
" Spectablis	5.00 7.00
" Vexilaria	5.00
Odontoglossum Grande Citrosinum	8.00 and 10.00 10.00
Laeve	8.00 and 10.00
" Pulchellum	6.00
" English Hybrids	6.00 and 10.00
Oncidium Ampliatum	5.00
" Barbatum	4.00
" Confusum	5.00
" Crispum	6.00 and 10.00
Flexuosium	3.00
" Kiulonii " Lanceosum	10.00
Luridum	10.00
" Marshallianum	
" Papilla Major	6.00
Speciosum	10.00
" Splendidum	5.00
" Tigrinum	4.00
" Vericosum Rogersif	
Peristeria Longii	4.00
Phaius Mishmiensis	6.00
Phalaenopsis Amabilis	
" Luddemania	7.60
" Rosea	7.00
" Schilleriana	7.00 and 15.00
hyprid Elizabeth	15.00
Rodriguezia Candida	15.00 5.90
Rodriguezia Candida	5.00 5.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea	5.90 5.00 5.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa	5.90 5.00 5.00 5.00 7.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans	15.00 5.90 5.00 5.00 7.00 6.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora	15.00 5.90 5.00 5.00 7.00 6.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans	15.00 5.90 5.00 5.00 7.00 6.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora Spathoglotis Emerii	5.00 5.00 5.00 7.00 6.00 6.00 5.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora	15.00 5.90 5.00 5.00 7.00 6.00 5.00 5.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora Spathoglotis Emerii Stanhopia Tigrinum	15.00 5.90 5.00 5.00 7.00 6.00 5.00 8.00 6.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora Spathoglotis Emerii Stanhopia Tigrinum Wardii Trichopillia Suavis	15.00 5.90 5.00 7.00 6.00 6.00 5.00 8.00 6.00 7.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora Spathoglotis Emerii Stanhopia Tigrinum Wardii Trichopillia Suavis Trigonidium Semanni	15.00 5.90 5.00 7.00 6.00 6.00 5.00 8.00 6.00 7.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora Spathoglotis Emerii Stanhopia Tigrinum Wardii Trichopillia Suavis Trigonidium Semanni Warcz Discolor	15.00 5.90 5.00 5.00 7.00 6.00 6.00 5.00 8.00 6.00 7.00 8.00 10.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora Spathoglotis Emerii Stanhopia Tigrinum Wardii Trichopillia Suavis Trigonidium Semanni Warcz Discolor Vanda Agnes Joachim	15.00 5.90 5.00 5.00 7.00 6.00 6.00 5.00 8.00 6.00 7.00 8.00 10.00 15.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora Spathoglotis Emerii Stanhopia Tigrinum Wardii Trichopillia Suavis Trigonidium Semanni Warcz Discolor	15.00 5.90 5.00 5.00 7.00 6.00 6.00 5.00 8.00 6.00 7.00 8.00 10.00 15.00 20.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora Spathoglotis Emerii Stanhopia Tigrinum Wardii Trichopillia Suavis Trigonidium Semanni Warcz Discolor Vanda Agnes Joachim Boxalli Coerulea Josephine	15.00 5.50 5.00 5.00 7.00 6.00 6.00 5.00 8.00 6.00 7.00 8.00 10.00 15.00 20.00 15.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora Spathoglotis Emerii Stanhopia Tigrinum Wardii Trichopillia Suavis Trigonidium Semanni Warcz Discolor Vanda Agnes Joachim Boxalli Coerulea Josephine Jamelata	15.00 5.50 5.00 5.00 7.00 6.00 6.00 5.00 8.00 6.00 7.00 8.00 10.00 15.00 20.00 15.00 10.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora Spathoglotis Emerii Stanhopia Tigrinum Wardii Trichopillia Suavis Trigonidium Semanni Warcz Discolor Vanda Agnes Joachim Boxalli Coerulea Josephine Lamelata Luzonica	15.00 5.50 5.00 5.00 7.00 6.00 6.00 5.00 8.00 6.00 7.00 8.00 10.00 15.00 20.00 15.00 10.00 15.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora Spathoglotis Emerii Stanhopia Tigrinum Wardii Trichopillia Suavis Trigonidium Semanni Warcz Discolor Vanda Agnes Joachim Boxalli Coerulea Josephine Lamelata Luzonica Maron	15.00 5.90 5.00 5.00 7.00 6.00 6.00 5.00 8.00 6.00 7.00 8.00 10.00 15.00 20.00 15.00 20.00 15.00 20.00 10.00
Rodriguezia Candida Schomburgkia Sanderiana Rosea Crispa Sigmatostis Radicans Sophronitis Grandiflora Spathoglotis Emerii Stanhopia Tigrinum Wardii Trichopillia Suavis Trigonidium Semanni Warcz Discolor Vanda Agnes Joachim Boxalli Coerulea Josephine Lamelata Luzonica	15.00 5.90 5.00 5.00 7.00 6.00 6.00 5.00 8.00 6.00 7.00 8.00 10.00 15.00 20.00 15.00 20.00 10.00 20.00 20.00

NOTES

If you are looking for any special variety of either specie or Hybrid orchid that you have been unable to locate, get in touch with us and we may be able to obtain it for you. We have many sources of supply and are in correspondence with growers and exporters in different parts of the world. There is no obligation on your part.

We are in the market from time to time to purchase odd lots of specie and Hybrid Plants especially of Cattleyas of all Genera, Cymbidiums and Cypripediums. Send us a list with size and condition of plants and price.

Respectfully,